



## LEDskin® Suspension Bracket

Suspend LEDskin®  
tiles to construct a  
wall.



**LEDskin®**

**Easily hang  
LEDskin® tiles**

The new suspension brackets create a strong and stable hanging element when choosing to suspend LEDskin® structures. The brackets can be easily interconnected providing the ability to hang multiple LEDskin® tiles.


**SKU: 200 20 21:**

This bracket measures 496mm and will attach to one LEDskin® tile.

The 496mm bracket comes from the factory with one eyebolt attached and one truss clamp.


The brackets are also equipped with magnets on the bottom to facilitate easy connection to the tiles.

Brackets can be easily linked (secured) together using the bracket locking mechanism.



**Product Dimensions:**

21inL x 2.45inW x 2.5inH



The shorter hanging bracket supports 1 LEDskin® tile per bracket.

**SKU: 200 20 22:**

This bracket measures 992mm and will attach to two LEDskin® tiles.

The 992mm bracket comes with two eyebolts from the factory and two truss clamps.


The brackets are also equipped with magnets on the bottom to facilitate easy connection to the tiles.

Brackets can be easily linked (secured) together using the bracket locking mechanism.



**Product Dimensions:**

45.5inL x 2.5inW x 2.5inH



The longer hanging bracket supports 2 LEDskin® tiles per bracket.

**beMatrix**<sup>®</sup>  
re!nventing exhibit building systems

**beMatrix head-office USA**

*4476 Park Drive*

*Norcross, GA 30093*

*T. +770 225 0552*

*info@beMatrix.us*

*www.beMatrix.us*